

Language Map when converted to RDF. Therefore, these keys were filtered out during conversion to JSON-LD.

Converting the Tin Can RDF representation to PROV went smoothly. For the 19 statements that did successfully convert to N3, we observed **no loss of valid information** in the PROV-O representation. This suggests that the mapping in these cases is **fully reversible**, with the exception of invalid elements such as the aforementioned internationalization tags.

10. DISCUSSION & FUTURE WORK

By providing a reversible mapping workflow, we have increased the interoperability of Tin Can, without sacrificing its information content. Even apart from the inferred PROV, the JSON-LD conversion step had merit on its own: after this step, Tin Can data can now be (anonymized and) exposed as Linked Data. Adaptation by the ADL organization of a formal ontology such as ours in the future would improve the situation even better.

As for our own future work, we will continue the evaluation and development of the mapping tool to increase robustness. Currently, extensions and attachments are not fully supported. We mean to improve this by providing a JSON-LD context for commonly used extensions and attachments, allowing them to fit into our proposed workflow. Furthermore, our proposed workflow will be adopted in the context of the Flemish project EduTablet¹², furthering innovation in digital learning with mobile devices. This will result in a large corpus of learning log data, which will allow us to perform an evaluation in terms of new knowledge learned by exposing the learning logs as PROV.

Acknowledgments

The research activities in this paper were funded by Ghent University, iMinds (a research institute founded by the Flemish Government), the Institute for Promotion of Innovation by Science and Technology in Flanders (IWT), the FWO-Flanders, and the European Union, in the context of the EduTablet project.

11. REFERENCES

- [1] A. Corbi and D. Burgos. Review of current student-monitoring techniques used in elearning-focused recommender systems and learning analytics. the Experience API & LIME model case study. *International Journal of Artificial Intelligence and Interactive Multimedia*, 2(7):44–52, 2014.
- [2] S. B. Davidson and J. Freire. Provenance and scientific workflows: challenges and opportunities. In *Proceedings of the 2008 ACM SIGMOD international conference on Management of data*, pages 1345–1350. ACM, 2008.
- [3] T. De Nies, S. Magliacane, R. Verborgh, S. Coppens, P. T. Groth, E. Mannens, and R. Van de Walle. Git2prov: Exposing version control system content as W3C PROV. In *International Semantic Web Conference (Posters & Demos)*, pages 125–128, 2013.
- [4] D. Garijo, K. Eckert, S. Miles, C. M. Trim, and M. Panzer. Dublin Core to PROV Mapping. *W3C Note*. Available online: <http://www.w3.org/TR/2013/NOTE-prov-dc-20130430/> (accessed on 30 April 2013), 2012.
- [5] R. Hijón-Neira and A. Velazquez-Iturbide. From the discovery of students access patterns in e-learning including web 2.0 resources to the prediction and enhancements of students outcome. *E-learning, experiences and future*, pages 275–294, 2010.
- [6] H. Hua, C. Tilmes, S. Zednik (Eds.), and W3C Provenance Working Group. PROV-XML: The PROV XML Schema. W3C Note 30 April, 2013.
- [7] T. D. Huynh, M. O. Jewell, A. Sezavar Keshavarz, D. T. Michaelides, H. Yang, and L. Moreau. The PROV-JSON serialization, 2013.
- [8] IEEE. Data model for content to learning management system communication, IEEE Std 1484.11.1-2004, 2005.
- [9] IMS Global Learning Consortium et al. Learning measurement for analytics whitepaper, 2013.
- [10] T. Lebo, S. Sahoo, D. McGuinness (Eds.), and W3C Provenance Working Group. PROV-O: The PROV Ontology. W3C Recommendation 30 April, 2013.
- [11] R. Mazza, M. Bettoni, M. Faré, and L. Mazzola. Moclog—monitoring online courses with log data. In *Proceedings of the 1st Moodle Research Conference*, pages 14–15, 2012.
- [12] P. Missier and K. Belhajjame. *A PROV encoding for provenance analysis using deductive rules*. Springer, 2012.
- [13] L. Moreau, T. Lebo (Eds.), and W3C Provenance Working Group. Linking Across Provenance Bundles. W3C Note 30 April, 2013.
- [14] L. Moreau, P. Missier (Eds.), and W3C Provenance Working Group. PROV-DM: The PROV Data Model. W3C Recommendation 30 April, 2013.
- [15] L. Moreau, P. Missier (Eds.), and W3C Provenance Working Group. PROV-N: The Provenance Notation. W3C Recommendation 30 April, 2013.
- [16] A. Phillips and M. Davis. Tags for identifying languages. Technical report, BCP 47, RFC 4646, September, 2006.
- [17] A. Phillips and M. Davis. Tags for identifying languages. Technical report, BCP 47, RFC 5646, September, 2009.
- [18] J. Snell, M. Atkins, W. Norris, C. Messina, M. Wilkinson, and R. Dolin. JSON Activity Streams 1.0, 2011.
- [19] M. Sporny, G. Kellogg, M. Lanthaler (Eds.), and W3C RDF Working Group. JSON-LD 1.0: A JSON-based Serialization for Linked Data. W3C Recommendation 16 January, 2014.
- [20] The Advanced Distributed Learning (ADL) Initiative. Experience API, Version 1.0.1. http://www.adlnet.gov/wp-content/uploads/2013/10/xAPI_v1.0.1-2013-10-01.pdf, October 2013.
- [21] D. Yeh, C.-H. Lee, P.-C. Sun, et al. The analysis of learning records and learning effect in blended e-learning. *Journal of information science and engineering*, 21(5):973–984, 2005.

¹²<http://www.iminds.be/en/projects/2014/03/20/edutab>