[3] O. Corby, R. Dieng-kuntz, and C. Faron-zucker. Querying the semantic web with the corese search engine. pages 705–709. IOS Press, 2004.

[4] O. Corby, R. Dieng-Kuntz, C. Faron-Zucker, and F. Gandon. Ontology-based Approximate Query Processing for Searching the Semantic Web with Corese. Research Report RR-5621, 2006.

[5] J. Dean and S. Ghemawat. Mapreduce: simplified data processing on large clusters. *Communications of the ACM*, 51(1):107–113, 2008.

[6] J. E. Gonzalez, Y. Low, H. Gu, D. Bickson, and C. Guestrin. Powergraph: Distributed graph-parallel computation on natural graphs. In *USENIX Symposium on Operating Systems Design and Implementation (OSDI)*, pages 17–30, 2012.

[7] A. Gubichev and T. Neumann. Exploiting the query structure for efficient join ordering in sparql queries.

[8] S. Gurajada, S. Seufert, I. Miliaraki, and M. Theobald. Triad: a distributed shared-nothing rdf engine based on asynchronous message passing. In *Proceedings of the 2014 ACM SIGMOD International Conference on Management of Data*, SIGMOD '14, pages 289–300, 2014.

[9] J. Huang, D. J. Abadi, and K. Ren. Scalable sparql querying of large rdf graphs. *Proceedings of the VLDB Endowment*, 4(11):1123–1134, 2011.

[10] C. Kiefer, A. Bernstein, and A. Locher. Adding data mining support to sparql via statistical relational learning methods. In *Proceedings of the 5th European Semantic Web Conference on The Semantic Web: Research and Applications*, ESWC'08, pages 478–492, Berlin, Heidelberg, 2008. Springer-Verlag.

[11] C. Kiefer, A. Bernstein, and A. Locher. Adding Data Mining Support to SPARQL via Statistical Relational Learning Methods. In *Proceedings of the 5th European Semantic Web Conference (ESWC)*, Lecture Notes in Computer Science. Springer, 2008.

[12] C. Kiefer, A. Bernstein, and M. Stocker. The Fundamentals of iSPARQL: A Virtual Triple Approach for Similarity-Based Semantic Web Tasks. In *Proceedings of the 6th International Semantic Web Conference*, 2007.

[13] N. Kohout, S. Choi, D. Kim, and D. Yeung. Multi-chain prefetching: Effective exploitation of inter-chain memory parallelism for pointer-chasing codes. In *Parallel Architectures and Compilation Techniques, 2001. Proceedings. 2001 International Conference on*, pages 268–279. IEEE, 2001.

[14] S. Kotoulas, J. Urbani, P. A. Boncz, and P. Mika. Robust runtime optimization and skew-resistant execution of analytical sparql queries on pig. In *International Semantic Web Conference (1)*, volume LNCS 7649, pages 247–262, 2012.

[15] N. Lao and W. W. Cohen. Relational retrieval using a combination of path-constrained random walks. *Mach. Learn.*, 81(1):53–67, Oct. 2010.

[16] Y. Low, J. Gonzalez, A. Kyrola, D. Bickson, C. Guestrin, and J. M. Hellerstein. Graphlab: A new parallel framework for machine learning. In *Conference on Uncertainty in Artificial Intelligence (UAI)*, Catalina Island, California, July 2010.

[17] C.-K. Luk. Tolerating memory latency through software-controlled pre-execution in simultaneous multithreading processors. In *Computer Architecture, 2001. Proceedings. 28th Annual International Symposium on*, pages 40–51. IEEE, 2001.

[18] C.-K. Luk and T. C. Mowry. Compiler-based prefetching for recursive data structures. In *ACM SIGOPS Operating Systems Review*, volume 30, pages 222–233. ACM, 1996.

[19] G. Malewicz, M. H. Austern, A. J. C. Bik, J. C. Dehnert, I. Horn, N. Leiser, and G. Czajkowski. Pregel: a system for large-scale graph processing. In *Proceedings of the 2010 ACM SIGMOD International Conference on Management of data*, pages 135–146, 2010.

[20] T. Neumann and G. Weikum. Scalable join processing on very large rdf graphs. In *Proceedings of the 2009 ACM SIGMOD International Conference on Management of data*, pages 627–640, 2009.

[21] T. Neumann and G. Weikum. The RDF-3X engine for scalable management of RDF data. *The VLDB Journal*, 19(1):91–113, 2010.

[22] B. Shao, H. Wang, and Y. Li. The trinity graph engine. Technical report, Technical Report 161291, Microsoft Research, 2012.

[23] M. Stocker, A. Seaborne, A. Bernstein, C. Kiefer, and D. Reynolds. Sparql basic graph pattern optimization using selectivity estimation. In *Proceedings of the 17th international conference on World Wide Web*, pages 595–604. ACM, 2008.

[24] P. Stutz, A. Bernstein, and W. W. Cohen. Signal/Collect: Graph Algorithms for the (Semantic) Web. In *International Semantic Web Conference*, volume LNCS 6496, pages pp. 764–780. Springer, Heidelberg, 2010.

[25] P. Stutz, D. Strebel, and A. Bernstein. Signal/collect: Processing web-scale graphs in seconds. *The Semantic Web Journal – Interoperability, Usability, Applicability*, Forthcoming.

[26] P. Stutz, M. Verman, L. Fischer, and A. Bernstein. Triplerush: A fast and scalable triple store. In *9th International Workshop on Scalable Semantic Web Knowledge Base Systems (SSWS)*, volume 50, 2013.

[27] L. G. Valiant. A bridging model for parallel computation. *Communications of the ACM*, 33(8):103–111, 1990.

[28] C. Weiss, P. Karras, and A. Bernstein. Hexastore: sextuple indexing for semantic web data management. *Proceedings of the VLDB Endowment*, 1(1):1008–1019, 2008.

[29] S. Yang, X. Yan, B. Zong, and A. Khan. Towards effective partition management for large graphs. In *Proceedings of the 2012 ACM SIGMOD International Conference on Management of Data*, pages 517–528. ACM, 2012.

[30] K. Zeng, J. Yang, H. Wang, B. Shao, and Z. Wang. A distributed graph engine for web scale rdf data. *Proceedings of the VLDB Endowment*, 6(4):265–276, 2013.