























## 8. REFERENCES

- [1] GNU linear programming kit. <http://www.gnu.org/software/glpk>.
- [2] Stanford Network Analysis Project. <http://snap.stanford.edu>.
- [3] B. Abrahao, S. Soundarajan, J. Hopcroft, and R. Kleinberg. A separability framework for analyzing community structure. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 8(1):5, 2014.
- [4] Y.-Y. Ahn, J. P. Bagrow, and S. Lehmann. Link communities reveal multiscale complexity in networks. *Nature*, 466(7307):761–764, 2010.
- [5] R. Andersen, F. Chung, and K. Lang. Local graph partitioning using pagerank vectors. In *FOCS*, pages 475–486. IEEE, 2006.
- [6] R. Andersen and K. J. Lang. Communities from seed sets. In *WWW*, pages 223–232. ACM, 2006.
- [7] M.-F. Balcan, C. Borgs, M. Braverman, J. Chayes, and S.-H. Teng. Finding endogenously formed communities. In *SIAM*, pages 767–783. ACM, 2013.
- [8] A. Clauset, C. R. Shalizi, and M. E. Newman. Power-law distributions in empirical data. *SIAM review*, 51(4):661–703, 2009.
- [9] M. Coscia, G. Rossetti, F. Giannotti, and D. Pedreschi. Demon: a local-first discovery method for overlapping communities. In *KDD*, pages 615–623. ACM, 2012.
- [10] S. Fortunato. Community detection in graphs. *Physics Reports*, 486(3):75–174, 2010.
- [11] T. J. Hansen and M. W. Mahoney. Semi-supervised eigenvectors for large-scale locally-biased learning. *Journal of Machine Learning Research*, 15:3691–3734, 2014.
- [12] D. Jin, B. Yang, C. Baquero, D. Liu, D. He, and J. Liu. A markov random walk under constraint for discovering overlapping communities in complex networks. *Journal of Statistical Mechanics: Theory and Experiment*, 2011(05):P05031, 2011.
- [13] K. Kloster and D. F. Gleich. Heat kernel based community detection. In *KDD*. ACM, 2014.
- [14] I. M. Kloumann and J. M. Kleinberg. Community membership identification from small seed sets. In *KDD*. ACM, 2014.
- [15] A. Lancichinetti, S. Fortunato, and F. Radicchi. Benchmark graphs for testing community detection algorithms. *Physical Review E*, 78(4):046110, 2008.
- [16] A. Lancichinetti, F. Radicchi, J. J. Ramasco, and S. Fortunato. Finding statistically significant communities in networks. *PLoS one*, 6(4):e18961, 2011.
- [17] J. Leskovec, K. J. Lang, A. Dasgupta, and M. W. Mahoney. Statistical properties of community structure in large social and information networks. In *WWW*, pages 695–704. ACM, 2008.
- [18] M. Meila and J. Shi. A random walks view of spectral segmentation. 2001.
- [19] M. Molloy and B. Reed. A critical point for random graphs with a given degree sequence. *Random structures & algorithms*, 6(2-3):161–180, 1995.
- [20] A. Y. Ng, M. I. Jordan, Y. Weiss, et al. On spectral clustering: Analysis and an algorithm. *Advances in neural information processing systems*, 2:849–856, 2002.
- [21] P. Pons and M. Latapy. Computing communities in large networks using random walks. In *Computer and Information Sciences-ISCIS 2005*, pages 284–293. Springer, 2005.
- [22] U. N. Raghavan, R. Albert, and S. Kumara. Near linear time algorithm to detect community structures in large-scale networks. *Physical Review E*, 76(3):036106, 2007.
- [23] M. Rosvall and C. T. Bergstrom. Multilevel compression of random walks on networks reveals hierarchical organization in large integrated systems. *PLoS one*, 6(4):e18209, 2011.
- [24] D. A. Spielman and S.-H. Teng. Nearly-linear time algorithms for graph partitioning, graph sparsification, and solving linear systems. In *STOC*, pages 81–90. ACM, 2004.
- [25] J. J. Whang, D. F. Gleich, and I. S. Dhillon. Overlapping community detection using seed set expansion. In *CIKM*, pages 2099–2108. ACM, 2013.
- [26] J. Xie, S. Kelley, and B. K. Szymanski. Overlapping community detection in networks: The state-of-the-art and comparative study. *ACM Computing Surveys (CSUR)*, 45(4):43, 2013.
- [27] J. Yang and J. Leskovec. Defining and evaluating network communities based on ground-truth. In *ICDM*, pages 10–13, 2012.
- [28] V. Zlatić, A. Gabrielli, and G. Caldarelli. Topologically biased random walk and community finding in networks. *Physical Review E*, 82(6):066109, 2010.