





















- [2] Z. Bar-Yossef and N. Kraus. Context-sensitive query auto-completion. WWW '11, pages 107–116. ACM, 2011.
- [3] N. Belkin, P. Kantor, E. Fox, and J. Shaw. Combining the evidence of multiple query representations for information retrieval. *Information Processing and Management*, 31:431–448, 1995.
- [4] P. N. Bennett, K. Svore, and S. T. Dumais. Classification-enhanced ranking. WWW '10, pages 111–120. ACM, 2010.
- [5] P. N. Bennett, R. W. White, W. Chu, S. T. Dumais, P. Bailey, F. Borisjuk, and X. Cui. Modeling the impact of short- and long-term behavior on search personalization. SIGIR '12, pages 185–194. ACM, 2012.
- [6] S. Bhatia, D. Majumdar, and P. Mitra. Query suggestions in the absence of query logs. SIGIR '11, pages 795–804. ACM, 2011.
- [7] P. Boldi, F. Bonchi, C. Castillo, D. Donato, A. Gionis, and S. Vigna. The query-flow graph: Model and applications. CIKM '08, pages 609–618. ACM, 2008.
- [8] H. Cao, D. H. Hu, D. Shen, D. Jiang, J.-T. Sun, E. Chen, and Q. Yang. Context-aware query classification. SIGIR '09, pages 3–10. ACM, 2009.
- [9] H. Cao, D. Jiang, J. Pei, Q. He, Z. Liao, E. Chen, and H. Li. Context-aware query suggestion by mining click-through and session data. KDD '08, pages 875–883. ACM, 2008.
- [10] K. Collins-Thompson, P. N. Bennett, R. W. White, S. de la Chica, and D. Sontag. Personalizing web search results by reading level. In *Proceedings of CIKM 2011*, pages 403–412. ACM, 2011.
- [11] N. Craswell and M. Szummer. Random walks on the click graph. SIGIR '07, pages 239–246. ACM, 2007.
- [12] S. Cucerzan and E. Brill. Spelling correction as an iterative process that exploits the collective knowledge of web users. In D. Lin and D. Wu, editors, *EMNLP 2004*, pages 293–300, Barcelona, Spain, 2004. Association for Computational Linguistics.
- [13] H. Cui, J.-R. Wen, J.-Y. Nie, and W.-Y. Ma. Query expansion by mining user logs. *IEEE Trans. on Knowl. and Data Eng.*, 15(4):829–839, July 2003.
- [14] D. Downey, S. Dumais, D. Liebling, and E. Horvitz. Understanding the relationship between searchers' queries and information goals. In *CIKM '08*, pages 449–458, Napa Valley, CA, 2008.
- [15] C. Eickhoff, K. Collins-Thompson, P. N. Bennett, and S. Dumais. Personalizing atypical web search sessions. WSDM '13, pages 285–294. ACM, 2013.
- [16] S. Fox, K. Karnawat, M. Mydland, S. Dumais, and T. White. Evaluating implicit measures to improve web search. *ACM Trans. Inf. Syst.*, 23(2):147–168, Apr. 2005.
- [17] J. H. Friedman. Greedy function approximation: a gradient boosting machine. *Annals of Statistics*, pages 1189–1232, 2001.
- [18] J. Huang and E. N. Efthimiadis. Analyzing and evaluating query reformulation strategies in web search logs. CIKM '09, pages 77–86. ACM, 2009.
- [19] B. J. Jansen, A. Spink, and J. O. Pedersen. A Temporal Comparison of AltaVista Web Searching. *Journal of The American Society for Information Science and Technology*, 56:559–570, 2005.
- [20] E. C. Jensen, S. M. Beitzel, A. Chowdhury, and O. Frieder. Query phrase suggestion from topically tagged session logs. FQAS'06, pages 185–196. Springer-Verlag, 2006.
- [21] M. P. Kato, T. Sakai, and K. Tanaka. When do people use query suggestion? a query suggestion log analysis. *Inf. Retr.*, 16(6):725–746, Dec. 2013.
- [22] M. P. Kato, T. Yamamoto, H. Ohshima, and K. Tanaka. Investigating users' query formulations for cognitive search intents. SIGIR '14, pages 577–586. ACM, 2014.
- [23] F. Liu, C. Yu, and W. Meng. Personalized web search by mapping user queries to categories. CIKM '02, pages 558–565. ACM, 2002.
- [24] C. Makris, Y. Plegas, and S. Stamou. Web query disambiguation using pagerank. *J. Am. Soc. Inf. Sci. Technol.*, 63(8):1581–1592, Aug. 2012.
- [25] L. Mihalkova and R. Mooney. Search query disambiguation from short sessions. In *Beyond Search: Computational Intelligence for the Web Workshop at NIPS*, 2008.
- [26] J. Minker. An evaluation of query expansion by the addition of clustered terms for a document retrieval system. *Information Storage and Retrieval*, 8(6):329–348, Dec. 1972.
- [27] U. Ozertem, O. Chapelle, P. Donmez, and E. Velipasaoglu. Learning to suggest: A machine learning framework for ranking query suggestions. SIGIR '12, pages 25–34, Portland, OR, 2012.
- [28] K. Raman, P. N. Bennett, and K. Collins-Thompson. Toward whole-session relevance: Exploring intrinsic diversity in web search. SIGIR '13, New York, NY, USA, 2013. ACM.
- [29] T. Sakai. On the reliability of information retrieval metrics based on graded relevance. *Inf. Process. Manage.*, 43(2):531–548, Mar. 2007.
- [30] T. Sakai and Z. Dou. Summaries, ranked retrieval and sessions: A unified framework for information access evaluation. SIGIR '13, pages 473–482, Dublin, Ireland, 2013.
- [31] M. Sanderson. Ambiguous queries: Test collections need more sense. SIGIR '08, pages 499–506. ACM, 2008.
- [32] J. A. Shaw and E. A. Fox. Combination of Multiple Searches. In *Text REtrieval Conference*, 1994.
- [33] D. Sheldon, M. Shokouhi, M. Szummer, and N. Craswell. Lambdaerge: Merging the results of query reformulations. WSDM '11, New York, NY, USA, 2011. ACM.
- [34] M. Shokouhi. Learning to personalize query auto-completion. SIGIR '13, New York, NY, USA, 2013. ACM.
- [35] M. Shokouhi and L. Si. Federated search. *Foundations and Trends in Information Retrieval*, 5(1):1–102, 2011.
- [36] R. Song, Z. Luo, J.-R. Wen, Y. Yu, and H.-W. Hon. Identifying ambiguous queries in web search. WWW '07, pages 1169–1170. ACM, 2007.
- [37] J. Teevan, S. T. Dumais, and E. Horvitz. Personalizing search via automated analysis of interests and activities. SIGIR '05, pages 449–456. ACM, 2005.
- [38] G. Tsatsaronis, I. Varlamis, and K. Nørvåg. An experimental study on unsupervised graph-based word sense disambiguation. In A. Gelbukh, editor, *Computational Linguistics and Intelligent Text Processing*, volume 6008 of *Lecture Notes in Computer Science*, pages 184–198. Springer Berlin Heidelberg, 2010.
- [39] X. Wang and C. Zhai. Mining term association patterns from search logs for effective query reformulation. CIKM '08, pages 479–488. ACM, 2008.
- [40] X. Wei, F. Peng, and B. Dumoulin. Analyzing web text association to disambiguate abbreviation in queries. SIGIR '08, pages 751–752. ACM, 2008.
- [41] R. White and S. Drucker. Investigating behavioral variability in web search. In *WWW '07*, 2007.
- [42] R. W. White, M. Bilenko, and S. Cucerzan. Studying the use of popular destinations to enhance web search interaction. In *SIGIR '07*, pages 159–166, Amsterdam, The Netherlands, 2007.
- [43] J. Xu, W. Wu, H. Li, and G. Xu. A kernel approach to addressing term mismatch. WWW '11, pages 153–154. ACM, 2011.